


**Vamp 59 ordering code**



**Note:**

(\* Option available only with communication module 1: L and M

Accessories:

Order code	Explanation	Note
<b>VSE001GG</b>	Fiber optic module (glass - glass)	Max. distance 1 km
<b>3P032</b>	WESTERMO ODW-720-F1	(Base module)
<b>3P033</b>	WESTERMO SLC20 (1310 nm)	Max. distance 20 km
<b>3P034</b>	WESTERMO SLC40 (1310 nm)	Max. Distance 40 km
<b>3P035</b>	WESTERMO SLC80 (1550 nm)	Max. distance 80 km
<b>3P036</b>	WESTERMO SLC120 (1550 nm)	Max. distance 120 km
<b>VX063</b>	RS232 converter cable for WESTERMO ODW-720-F1	Cable length 3m
<b>3P014</b>	MOXA TCF-90	Max. distance 40 km
<b>VX048</b>	RS232 converter cable for MOXA TCF-90	Cable length 3m
<b>3P022</b>	MOXA TCF-142-S-ST	Max. distance 40 km
<b>VX062</b>	RS232 converter cable for MOXA TCF-142-S-ST	Cable length 3m
<b>VX052-3</b>	USB programming cable (Vampset)	Cable length 3m
<b>VX044</b>	Interface cable to VIO 12 (RTD module)	Cable length 2m
<b>VIO 12 AA</b>	RTD input module, 12pcs RTD inputs, Optical Tx Communication (24-230 Vac/dc)	
<b>VIO 12 AC</b>	RTD and mA output/input module, 12pcs RTD inputs, PTC, mA inputs/outputs, RS232, RS485 and Optical Tx/Rx Communication (24 Vdc)	
<b>VIO 12 AD</b>	RTD/mA Module, 12pcs RTD inputs, PTC, mA inputs/outputs, RS232, RS485 and Optical Tx/Rx Communication (48-230 Vac/dc)	
<b>VA 1 DA-6</b>	Arc Sensor	Cable length 6m
<b>VA 1 DA-20</b>	Arc Sensor	Cable length 20m
<b>V50WAF</b>	V50 wall assembly frame	